


# ShopBot Buddy<sup>®</sup> CNC



If you're looking for a compact CNC solution that delivers affordable, full-production performance in the digital fabrication of wood, plastic, aluminum, and other materials, then ShopBot's Buddy tool could be the right tool for your needs. Using advanced technology for CNC cutting, drilling, carving, and machining, ShopBot's Buddy is easy to learn and use. Buddys have a small footprint, and can be positioned easily into your production flow. That makes them useful on the shop floor. They can be configured and reconfigured for specific production needs—Buddys are the agile production CNC solution.

Fully assembled and ready to work when rolled out of the shipping crate, the Buddy design makes use of a rigid, stationary gantry over a moving table. The gantry is a heavy custom extrusion, precisely machined for sturdy linear rails. The steel and solid aluminum Z-axis also rides on linear rails. The Buddy is available in 32" or 48" widths (actual cutting/machining widths are 32" and 49") and have a front-back distance of 24". The front-back length can be optionally expanded to 48" with a longer PowerStick™ (actual cutting and machining distances are 26" and 50", respectively for this axis). The PowerStick is our award-winning motion and drive substrate of the moving table; PowerStick technology allows quick swaps between multiple tables and fixturing systems.

For more depth of cutting, Buddys are available with extended-height clearance while 3D cutting. The Buddy 32 and 48 are available with extended-height tablesides and a 14" Z-axis. The 14" Z-axis makes the Buddy the perfect tool for mold making, carving, and prototyping. See the specification table for summaries of the work envelope for various Buddy configurations.



## All ShopBot Buddy CNC Tools Include:

- Tough precision linear bearing on Y- and Z- axes with hardened steel rails and "V"-bearings for the moving-table, X-axis.
- Ships with a standard, 24" work-area PowerStick for the moving table (this PowerStick itself is 48" in the front back length as is the overall standard deck length).
- Reliable rack-and-pinion power transmission on each axis.
- Positional repeatability of +/- .002".
- Sealed industrial control box.
- Z-zero touch-off plate and XYZ proximity switches.
- Dust skirt ready to connect to your dust collector.
- ShopBot Control System software to run your CNC
- Bundled powerful design software to create CNC projects.
- Unparalleled support for our user community with forums, production support services, training classes, and FREE technical support.
- Two-year warranty.

Give us a call at **888-680-4466** to discuss your production needs.

We'll help you choose the right tool to get the job done.

# ShopBot<sup>®</sup>

**888-680-4466 • ShopBotTools.com**

We make the tools for making the future.

## PRSalpha & PRSstandard Dimensions (Length x Width x Plunge)

	Buddy 32*	Buddy 48*
<b>Cut/Movement Area**</b>	25" x 33" x 8" (.64m x .84m x .2m)	25" x 49" x 8" (.64m x 1.27m x .2m)
<b>Footprint</b>	L36" x W56" x H67" (.91m x 1.42m x 1.70m)	L36" x W76" x H67" (.91m x 1.93m x 1.70m)

\*For the BT32 & BT48, the cutting table under your work moves to provide motion on the X-axis.

\*\*Cutting width is decreased by 10" for each spindle when using a second Z-axis.

## PRSstandard Specifications

Our **PRSstandard series** of full-sized gantry tools provides an affordable entry to CNC for those who are ready to get started with CNC productivity. These tools are ideal for many different users: Moderate production shops, educational settings, hobbyist garages, signmakers, woodworkers, artists, and DIYers, to name a few. PRSstandard tools have the same rigid gantry, table frames, and durable mechanical components as our top-of-the-line PRSalpha series.

- Low-backlash gearhead stepper motors on all axes.
- Smooth Gecko stepper drivers on all axes.
- Step resolution .0006".
- Positional repeatability of +/- .002".
- Emergency stop disconnect switch integrated in control box.

### ShopBot PRSstandard Specifications

Drive Motor: Open loop steppers with 3.6:1 gearboxes. Without positional feedback, if attempting to cut too fast or an obstruction hit, steps could be lost and not noticed until the part file has completed or the operator stops.
XY Move Speed (with full cutting force): Variable, max. 360"/min. (9.1m/min.)
Z Move Speed (with full cutting force): Variable, max. 120"/min. (3m/min.)
XY Positioning Speed: Variable, max. 480"/min. (12.1m/min.)
Z Positioning Speed: Variable, max. 480"/min. (12.19m/min.)
Step Resolution: 0.0006" (0.015mm)
Positional Repeatability: +/- 0.002" (0.051mm)
Linear Cutting Force: ~50# at 60"/min.
X, Y, and Z Axis Drive System: Rack and Pinion
Input Voltage: 110v or 220v single-phase and 230v 3-phase power options are available, depending on tool and configuration.*
<i>Eight Input Channels (switch closure or 5-volt logic input), Eight Output Channels (5-volt logic level current).</i>

Mechanical parts such as table, gantry, and Z-axis are the same for both types of machines.

\*Connecting either the PRSalpha or PRSstandard requires the services of a licensed electrician. Please check the website or contact ShopBot for the wiring information for the set-up you are considering.

## PRSalpha Specifications

With enough production capability for a three-shift factory, **ShopBot PRSalpha tools** are our toughest, most sophisticated, gantry-based CNC routers. They reach rapid transit speeds of 1800 inches per minute and cutting speeds of up to 720 inches per minute. The PRSalpha series of full-sized gantry tools deliver high performance, high efficiency production, as well as fast position and cutting.

- Fast, closed-loop Vexta alphaStep motors fitted with low-backlash, tapered-hob gear heads on all three axes — alphaStep system monitors motor shaft positions with feedback maintaining tight synchronicity between signal and motion.
- Step resolution of .0004".
- Emergency stop disconnect switch in the control box with integrated and cabled remote emergency stop buttons.

### ShopBot PRSalpha Specifications

Drive Motor: Closed loop steppers with 7.2:1 gearboxes. With constant positional feedback to the drivers, if an obstruction is hit or cutting too fast the drivers will attempt to correct the position of the motors before activating an alarm, stopping the machine and displaying an alarm on the monitor. Once reset and homed, cutting should be able to be resumed.
XY Move Speed (with full cutting force): Variable, max. 720"/min. (15.2m/min.)
Z Move Speed (with full cutting force): Variable, max. 360"/min. (9.1m/min.)
XY Positioning Speed: Variable, max. 1800"/min. (45.7m/min.)
Z Positioning Speed: Variable, max. 900"/min. (22.8m/min.)
Step Resolution: .0004" (0.010mm)
Positional Repeatability: +/- 0.002" (0.051mm)
Linear Cutting Force: ~150# at 60"/min.
X, Y, and Z Axis Drive System: Rack and Pinion
Input Voltage: 220v single-phase, 230v 3-phase and 380/460V 3-phase power options are available, depending on tool and configuration.*
<i>Eight Input Channels (switch closure or 5-volt logic input), Eight Output Channels (5-volt logic level current).</i>

# SOFTWARE

No computer degree is needed to run a ShopBot! **Each new ShopBot includes VCarve Pro** CAD/CAM software, selected and bundled for project designing and tool-pathing. The ShopBot Control System software that runs your CNC is also included.

We also offer software packages for use in signmaking, cabinet making and more. **Aspire by Vectric** is one of our most popular—great for designing and machining carved decorative panels and doors, custom millwork, moldings, signage, dimensional logos, jewelry, custom gifts, and much more.

**The ShopBot Control System Software is compatible with many software programs.**

If you are primarily working in solids or blocks, already experienced with CAD, and/or have an engineering background, consider starting with **Fusion 360**. Additional compatible software includes: AutoCAD • Rhino 3D • SketchUp • ArtCAM • Vector Art 3D • Cabinet Vision • EnRoute • KCDw • MasterCAM • MillWizard • OneCNC • Shape 3D • Vector CAD CAM • Visualmill • CabinetParts Pro • DeskProto

---

# FREE TECHNICAL SUPPORT

Whether you're new to digital fabrication or a veteran user of CNC technology, ShopBot is here to support your efforts. We provide **free technical support 7 days a week** from our headquarters in Durham, North Carolina. We also have a vibrant online community at talkshopbot.com, sharing tips and advice with other users of digital fabrication technology.

To contact tech support:  
[support@shopbottools.com](mailto:support@shopbottools.com)

# YOUR BUSINESS NETWORK

Digital fabrication and online communication — together they are playing an important role in reshaping manufacturing in the U.S. and around the world. The *distributed manufacturing* model, which brings on-demand production and the end user closer together, is also growing fast. ShopBot Tools is a leader in supporting these developments. Our free online community, 100kGarages.com, can connect you with business opportunities around the country and the globe.

**100kGarages.com**  
connect. collaborate. create.

---

# ACCESSORIES

- The **Plotter Pen** allows you to draw like a plotter. Draw signatures, logos, or other images. Print large parts to scale before cutting expensive material.
- The **Drag Knife Bit** enables you to cut adhesive-backed sign vinyl, paper, cardboard, and thin plastics (up to 1/32"). Create vehicle graphics, professional-quality signs, banners, magnets or parts from thin plastics.
- The **Diamond Drag Engraving Bit** allows you to engrave plastic, metal, glass, and stone. Engrave signatures, logos, or artwork. Create custom brass name tags for trophies/plaques or permanently engrave serial numbers and ID.
- You can also add **ShopBot's 3D Digitizing Probe** to make a copy of an object in 3D. Duplicate an existing 3D shape or a piece of decorative trim or molding. Very useful for luthiers, furniture makers, and restoration work.
- The **ShopBot Rotary Indexer** allows you to cut full 3-dimensional objects on your ShopBot. Like a lathe, it provides a 4th rotary axis for turning a part, but in addition, provides precise "indexed" control over rotation. It comes in two Buddy-compatible sizes and can be purchased with new tools or retro-fitted to older tools.
- The **Vacuum Pump .3hp Kit** is a high pressure, low volume system that is ideal for repetitive projects made of non-porous materials. A closed gasketed setup without leaks is essential for best hold-down performance.

Give us a call at **888-680-4466** to discuss your production needs.

We'll help you choose the right tool to get the job done.

**ShopBot**®

**888-680-4466 • ShopBotTools.com**

We make the tools for making the future.